

## ***Espessura das paredes dos Tubos laminados TG FIBERGLASS***

Diâmetro Nominal in	Diâmetro Nominal mm	25 PSI	50 PSI	75 PSI	100 PSI	125 PSI	150 PSI
1	25	5,0	5,0	5,0	5,0	5,0	5,0
1 1/2	38	5,0	5,0	5,0	5,0	5,0	5,0
2	51	5,0	5,0	5,0	5,0	5,0	5,0
2 1/2	63	5,0	5,0	5,0	5,0	5,0	5,0
3	76	5,0	5,0	5,0	5,0	6,5	6,5
4	100	5,0	5,0	5,0	6,5	6,5	6,5
5	127	5,0	5,0	6,5	6,5	7,0	8,0
6	150	5,0	5,0	6,5	6,5	8,0	9,5
8	200	5,0	6,5	6,5	8,0	9,5	11,0
10	250	5,0	6,5	8,0	9,5	11,0	13,0
12	300	5,0	6,5	9,5	11,0	13,0	16,0
14	350	6,5	8,0	9,5	13,0	16,0	19,0
16	400	6,5	8,0	11,0	14,0	17,0	20,0
18	450	6,5	9,5	13,0	16,0	19,0	23,0
20	500	6,5	9,5	13,0	18,0	21,0	25,0
22	550	6,5	9,5	14,0	19,0	23,0	28,0
24	610	6,5	11,0	16,0	20,0	25,0	30,0
28	700	7,5	12,0	18,0	24,0	30,0	36,0
30	762	8,0	13,0	19,0	25,0	32,0	38,0
32	813	8,5	13,0	20,0	27,0	34,0	41,0
36	914	9,5	16,0	23,0	30,0	38,0	46,0
42	1067	9,5	19,0	27,0	35,0	44,0	53,0